

# OPTI PROP F2 – INTERMEDIATE TIE COAT

According to regulation (EC) No 1907/2006. Annex II, as amended.

## HEALTH & SAFETY DATA SHEET

### 1. Identification

Product name: F2 Tie Coat  
Application: Foul Repellent Coating.  
Supplier: Ocean Coatings Ltd, NetPark Plexus, Thomas Wright Way, Sedgefield, Co Durham  
TS21 3FD, UK  
Tel: +44 (0) 1740 625262 Email: info@oceancoatings.co.uk

#### Composition

Hybrid Polymer Serum Trade Secret  
Propyltrimethoxysilane  
Silanamine hydrolysis products with silane  
Modified polysiloxim

The product does not contain any PVT or vPvB in % greater than 0.1%

### 2. Hazard Identification

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP)

This product has no classification under CLP

#### Label elements



Signal Word	Warning
Physical Hazards	Not Classified
Health Hazards	H317 may cause an allergic skin reaction
Environmental Hazards	Not Classified

### 3. First Aid Measures

Eye contact	Wash well with water for at least 15 minutes. If irritation persists seek medical advice
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water.
Inhalation	Move into fresh air and keep at rest. Get medical attention if discomfort continues.
Swallowing	Rinse mouth thoroughly with water. Get medical advice if you feel unwell. Do not induce vomiting.

### 4. Fire Fighting Measures

This product is not flammable.

Do not use water jet as an extinguisher as this will spread the fire.

Hazardous combustion products: No dangerous fumes are involved in a fire situation.

Water may be used to keep fire exposed containers cool.

## 5. Accidental Release

In the event of spillage mop up bulk with vermiculite, dry sand or earth and into containers. Treat large spillage as industrial waste.

## 6. Handling and Storage

Store in sealed original containers. Do not mix with other material.

Keep away from sources of heat and prevent from freezing.

Provide good ventilation when in use

## 7. Exposure Controls/Personal Protection

Respiratory Protection None required.

Hand protection Wear rubber gloves.

Eye protection Wear safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection Wear suitable protective clothing.

Hygienic work practices Wash after use and before eating. Do not smoke in work area.

## 8. Physical and Chemical Properties

Appearance Black Liquid

Odour Typical.

PH value at 20 C 9.4 – 9.8 at 20 C

Relative density 0.97 at 20C

Solubility Insoluble in water

Viscosity <200 poise @20CPolymer

## 9. Stability and Reactivity

There are no known conditions that are likely to result in a hazardous situation.

## 10. Toxicological Information

This product contains sensitising substances and may cause allergic reactions.

## 11. Ecological Information

This product is not known to cause any adverse environmental effects when used according to the instructions.

## 12. Disposal Considerations

Dispose of any bulk material as industrial waste according to local authority waste regulations.

## 13. Transport Information

This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID). UN number – not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 – Information not relevant.

#### **14. Regulatory Information**

This product has been classified and marked in accordance with directives on hazardous materials.

#### **15. Other Information**

For additional information regarding this product see the product data sheet and label or contact the supplier.

Issue date: 12 2024